PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

		(11) International Publication Number: WO 96/3714
A47K 11/10	A1	(43) International Publication Date: 28 November 1996 (28.11.96
21) International Application Number: PCT/IT 22) International Filing Date: 19 January 1996 (DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
30) Priority Data: RM95A000345 26 May 1995 (26.05.95)		Published With international search report.
71)(72) Applicant and Inventor: SALVATO, Stefano [IT/IT]; Via dei Tulipani, 7, I-00055 Ladispoli (IT	o, Giul r).	io
74) Agent: MASCIOLI, Alessandro; A.N.D.I., Via Urba: 00184 Rome (ГГ).	na, 20,	I-
		·
54) Title: A TOOL FOR THE MANUAL CLEANING	OF WA	TER-CLOSETS, WITH INTERCHANGEABLE PADS
		•
The tool for the manual cleaning of water-closets confinterchangeable pads, inserted with pressure and/or deprith a spring or with a hook, into said rod in such a way the end of use, for being led into the WC discharge; a pf support for said rod; a means for supporting said rod, every supporting said rod, every supporting said rod.	ression as to l pad-can	and/or with a mechanical system, be removed, with hooking means, ying support, having the function
The tool for the manual cleaning of water-closets confinterchangeable pads, inserted with pressure and/or deprith a spring or with a hook, into said rod in such a way the end of use, for being led into the WC discharge; a pf support for said rod; a means for supporting said rod, every supporting said rod, every supporting said rod.	ression as to l pad-can	and/or with a mechanical system, be removed, with hooking means, ying support, having the function
The tool for the manual cleaning of water-closets confinterchangeable pads, inserted with pressure and/or depith a spring or with a hook, into said rod in such a way the end of use, for being led into the WC discharge; a proport for said rod; a means for supporting said rod, even	ression as to l pad-can	and/or with a mechanical system, be removed, with hooking means, ying support, having the function
The tool for the manual cleaning of water-closets confinterchangeable pads, inserted with pressure and/or depith a spring or with a hook, into said rod in such a way the end of use, for being led into the WC discharge; a pf support for said rod; a means for supporting said rod, even	ression as to l pad-can	and/or with a mechanical system, be removed, with hooking means, ying support, having the function
The tool for the manual cleaning of water-closets confinterchangeable pads, inserted with pressure and/or deprith a spring or with a hook, into said rod in such a way the end of use, for being led into the WC discharge; a pf support for said rod; a means for supporting said rod, every supporting said rod, every supporting said rod.	ression as to l pad-can	and/or with a mechanical system, be removed, with hooking means, ying support, having the function
The tool for the manual cleaning of water-closets confinterchangeable pads, inserted with pressure and/or depitith a spring or with a hook, into said rod in such a ways the end of use, for being led into the WC discharge; a full support for said rod; a means for supporting said rod, example to the ways of the end of the work of the work of the ways of the ways of the ways of the work of	ression as to l pad-can	and/or with a mechanical system, be removed, with hooking means, ying support, having the function
The tool for the manual cleaning of water-closets conf interchangeable pads, inserted with pressure and/or deprith a spring or with a hook, into said rod in such a way the end of use, for being led into the WC discharge; a pf support for said rod; a means for supporting said rod, even	ression as to l pad-can	and/or with a mechanical system, be removed, with hooking means, ying support, having the function
The tool for the manual cleaning of water-closets confinterchangeable pads, inserted with pressure and/or deprith a spring or with a hook, into said rod in such a way the end of use, for being led into the WC discharge; a pf support for said rod; a means for supporting said rod, even	ression as to l pad-can	and/or with a mechanical system, be removed, with hooking means, ying support, having the function

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU .	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IB	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	и	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	, MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
Fī	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	·· Viet Nam

1

"A TOOL FOR THE MANUAL CLEANING OF WATER-CLOSETS,".
WITH INTERCHANGEABLE PADS"

The present invention concerns a tool for the manual cleaning of water-closets, usually called swab, provided with interchangeable pads.

It is well known that also in the most expensive and sophisticated bathrooms, the swab used for cleaning the surface of the water-closet after each use has remained always the same, corresponding to a means for the mechanical removing of the fecal residue, a part of which always sticks to the bristles of the swab.

This prooves the lack of hygiene and the inadequacy of the existing tools.

It is the aim of the present invention to replace the conventional swab with a tool of new conception: easy, functional a completely hygienic.

The aim set forth is reached by means of the tool according to the present invention, consisting of:
- a supporting rod;

- a plurality of interchangeable pads, inserted with pressure and/or depression and/or with a mechanical system, with a spring or with a hook, into said rod in such a way as to be removed, with hooking means, at the end of use, for being led into the WC discharge;
- a pad-carrying support, having the function of support for said rod;
- a means for supporting said rod, eventually different from said pad-carrying support.

The advantages of the tool according to the present invention are many and evident:

- an easy functioning, due to the automatic insertion of the rod to the following pads and to the automatic unhooking system;
- the absolute hygiene in use, as any manual contact with the means for the removing of the fecal residues, i.e. with the pad, is avoided.
- functionality and maintaining pf the hygiene in the water-closet, for the complete cleaning performed by the pads with respect to the conventional swabs.

The present invention will be desribed more in detail hereinbelow relating to the enclosed drawings in which some embodiments are shosn.

Figure 1 shows an axonometric and transparency view of a tool for the manual cleaning of water-closets with interchangeable pads.

Figure 2 shows a vertical section of the tool according to the present invention.

Figures 3 and 4 respectively show a variant with a pneumatic insertion and the unhooking terminal.

Figure 5 shows a variant with mechanical operation.

The enclosed figures show a tool for the manual cleaning of water-closets with interchangeable pads, comprising:

- a rod 1, with many possible shapes and out of different materials;
- a plurality of pads of such a height as to prevent the discharging water to wetten the rod of eventual different shapes, consisting of natural or artificial or mixed fibres, that may be inserted onto said rod 1;
- an insertion means 2 of the kind with pressure, exloiting the balancing of the diameters, together with the elasticity of the material used for the realization of the pad, as shown in

figure 3, or with depression, exploiting the adhesive force caused by the air rod with the piston 3 downwardly turned, or with a combination of the two possibilities;

- a means of he unhooking of the rod 1 from the tampon, of pneumatic kind, so that the pressure of the small piston, overcoming the adhesion due to the depression, expells the pad, or of mechanical kind, with action of said rod, or mixed;
- a pad-carrying container, having also the function of support for said rod 1, with eventual spare parts of a support for adjusting to any shape;
- a support for the rod linked to said padcarrying container or separated from the same.

In practical realizations, the tool according to the present invention furthe comprises:

- an upper threaded cap 4;
- a body 5;
- a plurality of O-rings 6 for the sealing of the small piston;
- a terminal narrowing 7 for increasing the pressure in the outlet air;
- elastic springs 8, 9 in the mechanical variant;
- a ring 10 for the coat sealing.


5

CLAIMS


- 1. A tool for the manual cleaning of water-closets with interchangeable pads, characterized in:
 - a rod (1), with many possible shapes and out of different materials;
 - a plurality of pads of such a height as to prevent the discharging water to wetten the rod of eventual different shapes, consisting of natural or artificial or mixed fibres, that may be inserted onto said rod (1);
 - an insertion means (2) of the kind with pressure, exhoiting the balancing of the diameters, together with the elasticity of the material used for the realization of the pad, or with depression, exploiting the adhesive force caused by the air rod with the piston (3) downwardly turned, or with a combination of the two possibilities;
 - a means of he unhooking of the rod (1) from the tampon, of pneumatic kind, so that the pressure of the small piston, overcoming the adhesion due to the depression, expells the pad, or of mechanical kind, with action of said rod, or mixed;
 - a pad-carrying container, having also the function of support for said rod (1), with


- eventual spare parts of a support for adjusting to any shape;
- a support for the rod linked to said padcarrying container or separated from the same.
- A tool according to claim 1, characterized in an insertion system of the pads onto the rod (1) with pressure.
- 3. A tool according to claim 1, characterized in an insertion system of the pads onto the rod (1) with depression.
- 4. A tool according to claim 1, characterized in an insertion system of the pads onto rod (1) of the mechanical kind.
- 5. A tool according to any of the precedent claims, characterized in an insertion system of the pads onto rod (1) of the combined kind.
- 6. A tool according to claim 1, characteried in a system for unhooking the pads from rod (1) of the pneumatic kind.


- 7. A tool according to claim 1, characterized in a system for unhooking the pads from rod (1) of the mechanical kind.
- 8. A tool according to claims 1, 6, 7, characterized in a system for unhooking the pads from rod (1) of the combined kind.
- 9. A tool according to claim 1 characterized in the presence of:
 - an upper threaded cap (4);
 - a body (5);
 - a plurality of O-rings (6) for the sealing of the small piston;
 - a terminal narrowing (7) for increasing the pressure in the outlet air.
- 10. A tool according to claim 1, characterized in the presence of:
 - elastic springs (8, 9) in the mechanical variant;
 - a ring (10) for the coat sealing.



PCT/IT96/00016







INTERNATIONAL SEARCH REPORT

In tional Application No PCT/IT 96/00016

	<u> </u>		
A. CLASS IPC 6	ification of subject matter A47K11/10		
According t	o International Patent Classification (IPC) or to both national classi	fication and IPC	
	SEARCHED		
Minimum d IPC 6	ocumentation searched (classification system followed by classificated A47K E03D E03C	ion symbols)	
Documenta	tion searched other than minimum documentation to the extent that	such documents are included in the fields s	earched
Electronic d	lata base consulted during the international search (name of data base)	se and, where practical, search terms used)	
C. DOCUM	IENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the re-	elevant passages	Relevant to claim No.
A	DE,U,91 07 521 (LAZAR) 12 Septembers see the whole document	per 1991	1,9,10
A	US,A,4 542 543 (IRWIN LAWRENCE F) September 1985 see column 2, line 33 - column 3 see figures 1,2		1,9,10
A	US,A,4 733 414 (WILKES KARL A) 29 1988 see the whole document	9 March	1
A	US,A,3 934 280 (TANCREDI PIER LUI January 1976 see the whole document	IGI) 27	1
			·
Furt	her documents are listed in the continuation of box C.	X Patent family members are listed	in annex.
"A" docum consid "E" earlier filing "L" docum which citatio "O" docum other "P" docum later ti	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or means ent published prior to the international filing date but han the priority date claimed	"T" later document published after the int or priority date and not in conflict we cited to understand the principle or invention "X" document of particular relevance; the cannot be considered novel or cannot involve an inventive step when the de "Y" document of particular relevance; the cannot be considered to involve an indocument is combined with one or ments, such combination being obvict in the art. "&" document member of the same patern	th the application but heavy underlying the claimed invention to be considered to comment is taken alone claimed invention the tops other such docupents to a person skilled t family
	actual completion of the international search 2 April 1996	Date of mailing of the international segment 2.5.04.96	earch report
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl, Fax (+ 31-70) 340-3016	Authorized officer Vrugt, S	

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Information on patent family members

b stional Application No PCT/IT 96/90016

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
DE-U-9107521 12-09-	12-09-91	NONE	<u> </u>	
US-A-4542543	24-09-85	AU-B- CA-A- DE-A- FR-A- GB-A- JP-A-	4130585 1237855 3511855 2563256 2157795 60233238	24-10-85 14-06-88 24-10-85 25-10-85 30-10-85 19-11-85
US-A-4733414	29-03-88	NONE		
US-A-3934280	27-01-76	NONE		

Form PCT/ISA/210 (patent family annex) (July 1992)